



METALTECH


**EXTERIOR
SCAFFOLDING**

SAFERSTACK
A METALTECH INNOVATION

**BUILT TOUGH FOR
SAFETY**

**PROUDLY MADE IN
NORTH AMERICA**

MANUFACTURING OPTIONS



COUPLING PINS

CONNECT & SECURE YOUR COUPLING PIN TO ANY SCAFFOLD FRAME LEGS WITH OUR CHOICE OF SPRING-LOCK, CLEVIS OR ROLL PINS. ASK OUR CUSTOMER SERVICE FOR MORE DETAILS.



+



SPRING-LOCK

OR



CLEVIS PIN

OR



ROLL PIN

FRAME LOCKS*

METALTECH OFFERS A WIDE RANGE OF FRAME LOCKS TO MEET YOUR NEEDS. ORDER YOUR CHOICE THROUGH OUR CUSTOMER SERVICE FOR EITHER ONE OF OUR GRAVITY-LOCK, T-LOCK, F-LOCK, C-LOCK, U-LOCK, V-LOCK OR K-LOCK LOCKING SYSTEMS.



GRAVITY-LOCK



T-LOCK



F-LOCK



C-LOCK



U-LOCK



V-LOCK




K-LOCK

CUSTOM FRAMES*

WITH MANY YEARS OF EXPERIENCE, SUPPORTED BY OUR MANUFACTURING FACILITY AND ENGINEERING TEAM, WE CAN MATCH YOUR NEEDS BY DEVELOPING CUSTOM FRAMES.

OUR FRAMES AND TUBES CAN BE MADE COMPATIBLE WITH BRANDS SUCH AS VANGUARD, BIL-JAX AND SAFWAY. CONTACT OUR CUSTOMER SERVICE FOR MORE INFORMATION.**



SPECIAL COLORS & HOT-DIP GALVANIZATION

MOST SCAFFOLDING FRAMES WE MANUFACTURE ARE ALSO AVAILABLE WITH A HOT-DIP GALVANIZED FINISH, IN ORDER TO INCREASE THE LIFE SPAN. WE ALSO OFFER THE OPTION TO CHOOSE POWDER COATED FINISH COLORS* AND TEXTURES. PLEASE INQUIRE WITH CUSTOMER SERVICE FOR OUR COMPETITIVE RATES!




*Minimum order quantity applies

** All trademarks and registered trademarks listed above are the property of their respective owners.

FRAME SYSTEMS

GENERAL SPECIFICATIONS

INTERIOR TUBES	STANDARD FRAMES: OUTSIDE DIAMETER 1 IN. - 16 GAUGE WALK-THRU & LADDER FRAMES: OUTSIDE DIAMETER 1.25 IN. - 16 GAUGE
PERIMETER TUBES	OUTSIDE DIAMETER 1.69 IN. - 13 GAUGE (MODEL MF6060PS-A: 1.625 IN. - 13 GAUGE)
FINISH	POWDER COATED OR GALVANIZED
STANDARDS	ANSI, OSHA AND CSA



PLATFORMS INNOVATIVE FEATURES

✓ CROSSBEAM*



- EVENLY SUPPORTS THE 5/8" THICK PLYWOOD AND PREVENTS IT FROM FLEXING
- GALVANIZED STEEL
- ERGONOMIC HANDLE CUT OUT FOR COMFORT AND EASY HANDLING

✓ EDGE CAPPING**



- PREVENTS EXTREMITY WEAR
- RE-REINFORCES PLYWOOD DECK EXTREMITIES
- INCREASES THE PLYWOOD LIFESPAN
- CUSTOMIZES YOUR EDGE CAPPING WITH YOUR COMPANY NAME (MINIMUM ORDER QUANTITY APPLIES)

✓ SIDE RAILS



- PROTECT THE PLYWOOD EDGES TO PREVENT WATER INFILTRATION, DELAMINATION AND PREMATURE WEAR

* Standard on plywood platforms models of 19 in. wide.
** Only available on plywood platforms models of 19 in. wide

SAFERSTACK®

STACKS IN 30% LESS SPACE THAN REGULAR FRAMES

• ENSURES **SECURE STACKING**, PREVENTING FRAME SLIPPAGE

• **100% COMPATIBLE** WITH ALL STANDARD METALTECH® FRAMES

• TESTED TO MEET ANSI, CSA, AND OSHA **SAFETY STANDARDS**

MAIN COMPONENTS

FRAME FINISHES

POWDER-COATED


WEATHER RESISTANT ANTI-SLIP FINISH OFFERS LASTING DURABILITY TO WITHSTAND TOUGH JOBSITE CONDITIONS.

GALVANIZED

GALVANIZED FRAMES ENHANCED DURABILITY, AND INCREASE SAFETY WITH ITS CORROSION RESISTANCE. THEY ARE LOW MAINTENANCE, COST-EFFECTIVE AND WEATHER RESISTANT.

MASON

IDEAL FOR ANY COMMERCIAL OR RESIDENTIAL CONSTRUCTION PROJECT



AVAILABLE DIMENSIONS:


60" X 60"	36" X 60"	48" X 60"	60" X 60"
M-MF6060PS	M-MF3660GVP	M-MF4860GVP	M-MF6060GVP
60" X 36"/60" (ADJUSTABLE FRAME)	72" X 60"	60" X 48"	60" X 30"
M-MF60PS	M-MF7260GVP	M-MF6048GVP	M-MF6030GVP
36" X 60"	48" X 60"	72" X 60"	
M-MF3660PS	M-MF4860PS		
76" X 60"	76" X 24"	60" X 48"	
M-MF7660PS	M-MF7624VL1PS	M-MF6048PS	
60" X 30"	60" X 24"		
M-MF6030PS	M-MF6024VL1PS		

POWDER-COATED

GALVANIZED

LIGHT DUTY

IDEAL FOR HOMEOWNER MAINTENANCE, GENERAL APPLICATION




AVAILABLE DIMENSIONS:

72" X 48"	48" X 48"
LD-LD7248-4MPS	LD-LD4848PS

POWDER-COATED

WALK-THRU ARCH

FOR HIGH PEDESTRIAN TRAFFIC AREAS, OFFERING WALK-THROUGH CONVENIENCE



AVAILABLE DIMENSIONS:

76" X 60"	78" X 60"	76" X 42"	76" X 60"	78" X 60"
M-MA7660PS	M-MA7860PS	M-MA7642PS	M-MA7660PSGV	M-MA7860PSGV
76" X 36"			76" X 42"	
M-MA7636PS			M-MA7642PSGV	

POWDER-COATED

GALVANIZED

NARROW

NARROW FRAME FOR LIGHTER PROJECTS AND EASE OF MOVEMENT ALONG WORK AREA




AVAILABLE DIMENSIONS:

80" X 36"
M-MA8036ATLW1PS

POWDER-COATED

LADDER ARCH

INCLUDES LADDERS FOR EASY CLIMBING AND MATERIAL PLACEMENT



AVAILABLE DIMENSIONS:

76" X 60"	78" X 60"
M-MA7660LPS	M-MA7860LPS


POWDER-COATED

76" X 60"	78" X 60"
M-MA7660LPSGV	M-MA7860LPSGV

GALVANIZED

HOARDING


IDEAL FOR SIDEWALKS WITH TALLER AND WIDER FRAMES



AVAILABLE DIMENSIONS:

120" X 78"
M-MA12078GVP

GALVANIZED



ALL PRODUCTS MEET ANSI OSHA CSA

STARTING ARCH

IDEAL FOR BIG STAIRS SCAFFOLDING TOWERS



AVAILABLE DIMENSIONS:

121" X 60"
M-MA12160DEGVP

GALVANIZED

SIDE BRACKET



D SIDE BRACKET	
DIMENSIONS	MODEL
20"	M-MS20
30"	M-MS30
40"	M-MS40

D END BRACKET	
DIMENSIONS	MODEL
20"	M-ME20

BUILT TOUGH FOR SAFETY

GUARDRAIL SYSTEM



POWDER-COATED

GALVANIZED


A GUARDRAIL POST AND GUARDRAIL

GUARDRAIL POST

FINISH	MODEL
POWDER COATED	M-MGPUSL
GALVANIZED	M-MGPUSLGV

GALVANIZED GUARDRAIL

DIMENSIONS	MODEL
30"	M-MGR30
48"	M-MGR4
60"	M-MGR5
84"	M-MGR7
96"	M-MGR8
120"	M-MGR10



B GALVANIZED TOEBOARD

DIMENSIONS	MODEL
30"	M-MGT30
60"	M-MGT60

INFO Guardrails must be installed on all sides of a work area that is more than 10' high.

PLATFORM

C ALUMINUM PLATFORM WITH 5/8" PLYWOOD DECK



DIMENSIONS	MODEL	LOAD CAPACITY
7' X 19"	M-MPP719	100 LB/FT ²
7' X 28"	M-MPP728	25 LB/FT ²
7' X 24"	M-MPP724	75 LB/FT ²
8' X 19"	M-MPP819	
10' X 19"	M-MPP1019	50 LB/FT ²
10' X 24"	M-MPP1024	
10' X 28"	M-MPP1028	

ALUMINUM PLATFORM WITH EDGE CAPPING



DIMENSIONS	MODEL	LOAD CAPACITY
7' X 19"	M-MPP719RE	100 LB/FT ²
10' X 19"	M-MPP1019RE	75 LB/FT ²

ALUMINUM PLATFORM WITH 5/8" ANTI-SLIP PLYWOOD DECK AND EDGE CAPPING



DIMENSIONS	MODEL	LOAD CAPACITY
7' X 19"	M-MPP719AS	100 LB/FT ²
10' X 19"	M-MPP1019AS	75 LB/FT ²

WITHOUT EDGE CAPPING

DIMENSIONS	MODEL	LOAD CAPACITY
7' X 24"	M-MPP724AS	75 LB/FT ²
10' X 24"	M-MPP1024AS	50 LB/FT ²

ALL ALUMINUM PLATFORM



DIMENSIONS	MODEL	LOAD CAPACITY
7' X 19"	M-MPA719	75 LB/FT ²
8' X 19"	M-MPA819	
10' X 19"	M-MPA1019	

PLATFORM WITH TRAPDOOR AND LADDER



DIMENSIONS	MODEL	LOAD CAPACITY
7' X 28"	M-MPP728DL	75 LB/FT ²
10' X 28"	M-MPP1028DL	50 LB/FT ²

Notice: Platforms with trapdoor should be used with 76 in. or 78 in. frames high.

1 INFO A scaffolding situated near a wall and its height is more than 3X or 4X the width of the base must be secured with wall brackets. Wall brackets are required every 20 ft in height and every 30 ft in width.

10 FT X 19 IN. 75 LB/FT² 47 LB M-MPP1019RE

COUPLING & BRACE



E COUPLING PIN
MODEL M-MLC1S



F PIG TAIL
MODEL M-MLG



G WALL ATTACHMENT
MODEL M-MTWA



I GALVANIZED CROSS BRACE

DIMENSIONS	MODEL
2' X 7'	M-MC2484
27.75' X 7'	M-MC27.7584
3' X 7'	M-MC3684
4' X 7'	M-MC4884
2' X 8'	M-MC2496
3' X 8'	M-MC3696
4' X 8'	M-MC4896
2' X 10'	M-MC24120
27.75' X 10'	M-MC27.75120
3' X 10'	M-MC36120
4' X 10'	M-MC48120

Other cross brace are available : angular & sectional




H LOCK ARM
DIMENSIONS MODEL
13" M-MLA13
29" OR 31" M-MLA2931



J GALVANIZED DIAGONAL BRACE
DIMENSIONS MODEL
7' SPAN M-MDB3084
7' SPAN M-MDB6084
10' SPAN M-MDB30120
10' SPAN M-MDB60120

BASE & OUTRIGGER



K OUTRIGGER
MODEL M-MG32



L GALVANIZED LEVELING JACK
DIMENSIONS MODEL
20" (HOLLOW) M-MBSJP24H
24" (SOLID) M-MBSJP24
36" (SOLID) M-MBSJP36
Other leveling jack models are available - with swivel base, short handle, hollow or solid



M 8 IN. CASTER
MODEL M-MBCS



N 6 X 6 IN. BASE PLATE
MODEL M-MBBF

L

M

N

H

J

K

L

M

N

COMPLEMENTARY COMPONENTS

WE OFFERS A VARIETY OF COMPLEMENTARY COMPONENTS LIKE STAIRWAYS, PULLEY & HOIST, BRACKETS, WAGONS, ETC. CONTACT OUR CUSTOMER SERVICE FOR MORE INFORMATION OR VISIT OUR WEBSITE.




ADJUSTABLE END-STOP GUARDRAIL
M-MGRMAEX



WAGON
4' X 7' (CROSS BRACE) : M-MW716
4' X 10' (CROSS BRACE) : M-MW1016



SCAFFOLDING RACK
M-MFRACKGV



2 STORIES : M-MA1ST5713
3 STORIES : M-MA1ST5719
4 STORIES : M-MA1ST5726

STAIRWAY TOWERS

- COMPLETE STAIRWAY TOWER KIT INCLUDES ALL COMPONENTS, FROM WALK-THRU ARCH FRAMES TO THE STEEL STAIRS AND MORE.

- 2-3-4 STORIES AVAILABLE

STEEL STAIR & HANDRAILS

- POWDER COATED FINISH
- COMPATIBLE WITH: STEP UP, BILJAX, SCAFFOLD TODAY, VANGUARD AND METALTECH*



LEARN MORE



HOIST POST & PULLEY
M-MHAP



ALUMINUM TIE-OFF BAR
7' : M-BAA07
8' : M-BAA08
10' : M-BAA10



HEAVY DUTY 8 IN. CASTER
M-MBC8HD



DEBRIS NETTING
BLACK COLOR : M-MDNET10BK
GREEN COLOR : M-MDNET10GN



SCAFFOLD TARP
M-MTE13100

* All trademarks and registered trademarks listed above are the property of their respective owners.



CUSTOMER SERVICE

T : **1 800 363-7587** (TOLL FREE NUMBER)
@ : **CS@METALTECH.CO**

WWW.METALTECH.CO

